



NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM STANDARD ENDING	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM WALL CONNECTION <10MM	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.

Product:	ACOSPRAY DC2 5-45MM WALL CONNECTION	Date:	V1.0 2019	info@acosorb.com	 seamless acoustical spray- and plasterwork
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM	
Papersize:	A4				

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings. The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM WALL/SHADOW JOINT	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM CEILING SURFACE MOUNTED	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.

Product:	ACOSPRAY DC2 5-45MM ELECTRICAL CEILING BOX	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork


* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.



NOTE:


- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq

Dimensions of profiles and other products depends on the applied thickness of Acosorb product.

Product:	ACOSPRAY DC2 5-45MM ACOSORB RING	Date:	V1.0 2019	info@acosorb.com	
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM	
Papersize:	A4				

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.

The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




1 - spray ceiling
2 - place accessory

NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM RECTANGULAR OPENING	Date:	V1.0 2019	info@acosorb.com	
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM	
Papersize:	A4				

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
 Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM INSPECTION HATCH	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
 The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM ATRIUM / EDGE	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4	 seamless acoustical spray- and plasterwork		

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM ATRIUM / EDGE 2	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM SPRINKLER	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
 Dimensions of profiles and other products depends on the applied thickness of Acosorb product.

Product:	ACOSPRAY DC2 5-45MM EXPANSION JOINT	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork


* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
 The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




1 - spray ceiling
2 - mount stucco-profile

NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM STUCCO MOLDING PREFAB	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM INSTALLATIONS	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.





NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
 Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM DIFFERENT COLOURS/TYPE	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
 The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.

Product:	ACOSPRAY DC2 5-45MM CONTINUOUS CEILING	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4	 seamless acoustical spray- and plasterwork		

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




Application DC 2.2.0 only
possibly directly on surface



! to be determined by architect
/ client before application.
Esthetic end result varies

NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM ELECTRICAL TUBE	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4	 seamless acoustical spray- and plasterwork		

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM U-PROFILE, LIGHT/LED LINE	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4	 seamless acoustical spray- and plasterwork		

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM TUBE	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4	 seamless acoustical spray- and plasterwork		

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
 Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM CURVED SURFACE	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
 The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.




NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
 Dimensions of profiles and other products depends on the applied thickness of Acosorb product.


Product:	ACOSPRAY DC2 5-45MM STEEL DECK	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4	 seamless acoustical spray- and plasterwork		

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings. The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.



NOTE:

- Acosorb products always need to be applied accordingly to the instructions by Acosorb on clean, dry and non expanding surfaces like concrete, gypsum or eq
 Dimensions of profiles and other products depends on the applied thickness of Acosorb product.

Product:	ACOSPRAY DC2 5-45MM HORIZONTAL DETAIL	Date:	V1.0 2019	info@acosorb.com
Scale:	1:2	Drawn by:	ACOSORB	WWW.ACOSORB.COM
Papersize:	A4			 seamless acoustical spray- and plasterwork

* These details are basic principle drawings. This drawing does not function as or will replace any execution drawings.
 The client or contractor is responsible for the correct application of the product. All dimensions need to be checked by client or contractor.